



CTL® GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Beautiful face forever LTD
Mr Chebotarev
Narodnaya Street 12
115172 Moscow
RUSSIA

Marion Heyde
[fon] +49 521 400 82 89 13
[fax] +49 521 446 51 52
[mail] logistikA@ctl-mails.de

[Date of order] 20.02.2017
[Date of delivery] 07.03.2017
[Date] 24.03.2017

CTL®-No	377446
---------	--------

Test results

[Contact person]	Mr Chebotarev
[Material]	5 samples of pigments for lips
[Colors]	see following page
[Supplier]	Beautiful face forever LTD
[Order]	testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up



Deutsche
Akkreditierungsstelle
D-PL-11062-01-00

not accredited tests are labelled with *

[DE] Die Prüfergebnisse beziehen sich ausschließlich auf die Prüfgegenstände. Ohne schriftliche Genehmigung darf der Prüfbericht nicht auszugsweise vervielfältigt werden.

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

[F] Le resultat des examens se réfère uniquement aux objets testés. Sans autorisation écrite, le résultat des examens ne doit pas être partiellement reproduit.

[NL] De testresultaten hebben uitsluitend betrekking op de testobjecten. Zonder schriftelijke toestemming mag het testrapport niet in uittreksel worden vermenigvuldigd.

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0
[fax] +49 521 446 51 52
[mail] sekretariat@ctl-mails.de
[Homepages] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345



we assist, advise and test

CTL [®] -No	377446/1-6
----------------------	-------------------

[Material] samples of pigments

[Color] see table

CTL series no	colours
1	Apricot
2	Pink flamingo
3	Ash pink
4	Apple blossoms
5	Pink Marble



we assist, advise and test

CTL [®] -No	377446/1
----------------------	-----------------

[Material] sample of a pigment
[Color] Apricot

				passed
Azo-dyestuffs, Part 1a Investigation of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to COE Resolution ResAP(2008)1 Methods acc. to § 64 LFGB 82.02-2,3,4,9 Detection limit: 1 ppm; limit: as low as technically avoidable				not detectable
Biphenyl-4-arylamine	-	4-Methoxy-m-phenylenediamine	-	yes
Benzidine	-	4,4'-Methylenedianiline	-	
4-Chloro-o-toluidine	-	3,3'-Dichlorobenzidine	-	
2-Naphthylamine	-	3,3'-Dimethoxybenzidine	-	
o-Aminoazotoluene	-	3,3'-Dimethylbenzidine	-	
5-Nitro-o-toluidine	-	4,4'-Methylenedi-o-toluidine	-	
4-Chloroaniline	-	6-Methoxy-m-toluidine	-	
Azo-dyestuffs, Part 1b Investigation of carcinogens classified in Categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to COE Resolution ResAP(2008)1 Methods acc. to § 64 LFGB 82.02-2,3,4,9 Detection limit: 1 ppm				
4,4'-Oxydianiline	-	2,4,5-Trimethylaniline	-	yes
4,4'-Thiodianiline	-	Para-phenylenediamine	-	
o-Toluidine	-	2,4-Xylidine	-	
Dyestuffs, Part 2 acc. to COE Resolution ResAP(2008)1 Methods: TLC-, HPLC-, GC/MS-analysis acc. to DIN 54231 Detection limit: 5 mg/L				not detectable
Acid Green 16	-	Disperse Blue 1	-	yes
Acid Red 26	-	Disperse Blue 106	-	
Acid Violet 17	-	Disperse Blue 124	-	
Acid Violet 49	-	Disperse Blue 3	-	
Acid Yellow 36	-	Disperse Blue 35	-	
Basic Blue 7	-	Disperse Orange 3	-	
Basic Green 1	-	Disperse Orange 37	-	
Basic Red 1	-	Disperse Red 1	-	
Basic Red 9	-	Disperse Red 17	-	
Basic Violet 1	-	Disperse Yellow 3	-	
Basic Violet 10	-	Disperse Yellow 9	-	
Basic Violet 3	-	Pigment Orange 5	-	
		Pigment Red 53	-	
		Pigment Violet 3	-	

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0
[fax] +49 521 446 51 52
[mail] sekretariat@ctl-mails.de
[Homepages] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED1 GTL
[IBAN] DE 87 47850065 000 4005345



we assist, advise and test

CTL [®] -No	377446/1
[Material]	sample of a pigment
[Color]	Apricot

			passed			
Heavy metals, Part 3 acc. to COE Resolution ResAP(2008)1 Method: Prior, G. (2014). Tattoo Inks: Analysis, Pigments, Legislation. Berlin: epubli. CTL Method 2, p. 83.			yes			
	Limit	Amount				
Arsenic (As)	≤ 2 ppm	< 2 ppm				
Barium (Ba)	≤ 50 ppm	< 50 ppm				
Cadmium (Cd)	≤ 0.2 ppm	< 0.2 ppm				
Cobalt (Co)	≤ 25 ppm	< 25 ppm				
Chromium (Cr), VI	≤ 0.2 ppm	< 0.2 ppm				
Copper (Cu), soluble	≤ 25 ppm	< 25 ppm				
Mercury (Hg)	≤ 0.2 ppm	< 0.2 ppm				
Nickel (Ni)	As low as technically achievable	< 0.5 ppm				
Lead (Pb)	≤ 2 ppm	< 2 ppm				
Selenium (Se)	≤ 2 ppm	< 2 ppm				
Antimony (Sb)	≤ 2 ppm	< 2 ppm				
Tin (Sn)	≤ 50 ppm	< 50 ppm				
Zinc (Zn)	≤ 50 ppm	< 50 ppm				
PAH and BaP, Part 4 Investigation of 16 compounds of Polycyclic hydrocarbons incl. Benzo-a-pyrene acc. to COE Resolution ResAP(2008)1 Methods acc. to EPA, ZEK 2008-01 Detection limit: PAH 0.05 ppm as total, BaP 0.5 ppb Limit: PAH ≤ 0.5 ppm as total, BaP ≤ 5 ppb			yes			
Naphthalene	-	Fluoranthene		-	Dibenzo(a,h)anthracene	-
Acenaphthylene	-	Pyrene		-	Indo (1,2,3-cd)pyrene	-
Acenaphthene	-	Benz(a)anthracene		-	Benzo(g,h,i)perylene	-
Fluorene	-	Chrysene		-	Benzo-a-pyrene (BaP)	-
Phenanthrene	-	Benzo(b)fluoranthene		-		
Anthracene	-	Benzo(k)fluoranthene		-	Total	0 ppm
Sterility (microbiological test), Part 5* Investigation of pseudomonads (King A + B) acc. to COE Resolution ResAP(2008)1 Methods: Oxidase test Detection limit: 1.0 x 10 ¹ CFU/g			no tests	----		
Result: passed						

additional information:

Result of Heavy metal aluminium, perspiration solution: 3.8 ppm



we assist, advise and test

CTL [®] -No	377446/2
----------------------	-----------------

[Material] sample of a pigment
[Color] Pink flamingo

				passed
Azo-dyestuffs, Part 1a Investigation of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to COE Resolution ResAP(2008)1 Methods acc. to § 64 LFGB 82.02-2,3,4,9 Detection limit: 1 ppm; limit: as low as technically avoidable				not detectable
Biphenyl-4-arylamine	-	4-Methoxy-m-phenylenediamine	-	yes
Benzidine	-	4,4'-Methylenedianiline	-	
4-Chloro-o-toluidine	-	3,3'-Dichlorobenzidine	-	
2-Naphthylamine	-	3,3'-Dimethoxybenzidine	-	
o-Aminoazotoluene	-	3,3'-Dimethylbenzidine	-	
5-Nitro-o-toluidine	-	4,4'-Methylenedi-o-toluidine	-	
4-Chloroaniline	-	6-Methoxy-m-toluidine	-	
Azo-dyestuffs, Part 1b Investigation of carcinogens classified in Categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to COE Resolution ResAP(2008)1 Methods acc. to § 64 LFGB 82.02-2,3,4,9 Detection limit: 1 ppm				
4,4'-Oxydianiline	-	2,4,5-Trimethylaniline	-	yes
4,4'-Thiodianiline	-	Para-phenylenediamine	-	
o-Toluidine	-	2,4-Xylidine	-	
Dyestuffs, Part 2 acc. to COE Resolution ResAP(2008)1 Methods: TLC-, HPLC-, GC/MS-analysis acc. to DIN 54231 Detection limit: 5 mg/L				not detectable
Acid Green 16	-	Disperse Blue 1	-	yes
Acid Red 26	-	Disperse Blue 106	-	
Acid Violet 17	-	Disperse Blue 124	-	
Acid Violet 49	-	Disperse Blue 3	-	
Acid Yellow 36	-	Disperse Blue 35	-	
Basic Blue 7	-	Disperse Orange 3	-	
Basic Green 1	-	Disperse Orange 37	-	
Basic Red 1	-	Disperse Red 1	-	
Basic Red 9	-	Disperse Red 17	-	
Basic Violet 1	-	Disperse Yellow 3	-	
Basic Violet 10	-	Disperse Yellow 9	-	
Basic Violet 3	-	Pigment Orange 5	-	
		Pigment Red 53	-	
		Pigment Violet 3	-	
		Pigment Violet 39	-	
		Solvent Blue 35	-	
		Solvent Orange 7	-	
		Solvent Red 24	-	
		Solvent Red 49	-	
		Solvent Violet 9	-	
		Solvent Yellow 1	-	
		Solvent Yellow 2	-	
		Solvent Yellow 3	-	



we assist, advise and test

CTL [®] -No	377446/2
----------------------	-----------------

[Material] sample of a pigment
[Color] Pink flamingo

			passed	
Heavy metals, Part 3 acc. to COE Resolution ResAP(2008)1 Method: Prior, G. (2014). Tattoo Inks: Analysis, Pigments, Legislation. Berlin: epubli. CTL Method 2, p. 83.			yes	
	Limit	Amount		
Arsenic (As)	≤ 2 ppm	< 2 ppm		
Barium (Ba)	≤ 50 ppm	< 50 ppm		
Cadmium (Cd)	≤ 0.2 ppm	< 0.2 ppm		
Cobalt (Co)	≤ 25 ppm	< 25 ppm		
Chromium (Cr), VI	≤ 0.2 ppm	< 0.2 ppm		
Copper (Cu), soluble	≤ 25 ppm	< 25 ppm		
Mercury (Hg)	≤ 0.2 ppm	< 0.2 ppm		
Nickel (Ni)	As low as technically achievable	< 0.5 ppm		
Lead (Pb)	≤ 2 ppm	< 2 ppm		
Selenium (Se)	≤ 2 ppm	< 2 ppm		
Antimony (Sb)	≤ 2 ppm	< 2 ppm		
Tin (Sn)	≤ 50 ppm	< 50 ppm		
Zinc (Zn)	≤ 50 ppm	< 50 ppm		
PAH and BaP, Part 4 Investigation of 16 compounds of Polycyclic hydrocarbons incl. Benzo-a-pyrene acc. to COE Resolution ResAP(2008)1 Methods acc. to EPA, ZEK 2008-01 Detection limit: PAH 0.05 ppm as total, BaP 0.5 ppb Limit: PAH ≤ 0.5 ppm as total, BaP ≤ 5 ppb			yes	
Naphthalene	-	Fluoranthene		-
Acenaphthylene	-	Pyrene		-
Acenaphthene	-	Benz(a)anthracene		-
Fluorene	-	Chrysene		-
Phenanthrene	-	Benzo(b)fluoranthene		-
Anthracene	-	Benzo(k)fluoranthene		-
Sterility (microbiological test), Part 5* Investigation of pseudomonads (King A + B) acc. to COE Resolution ResAP(2008)1 Methods: Oxidase test Detection limit: 1.0 x 10 ¹ CFU/g			no tests	
Result: passed				

additional information:

Result of Heavy metal aluminium, perspiration solution: 2.0 ppm



we assist, advise and test

CTL®-No	377446/3
---------	----------

[Material] sample of a pigment
[Color] Ash pink

				passed
Azo-dyestuffs, Part 1a Investigation of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to COE Resolution ResAP(2008)1 Methods acc. to § 64 LFGB 82.02-2,3,4,9 Detection limit: 1 ppm; limit: as low as technically avoidable				not detectable
Biphenyl-4-arylamine	-	4-Methoxy-m-phenylenediamine	-	yes
Benzidine	-	4,4'-Methylenedianiline	-	
4-Chloro-o-toluidine	-	3,3'-Dichlorobenzidine	-	
2-Naphthylamine	-	3,3'-Dimethoxybenzidine	-	
o-Aminoazotoluene	-	3,3'-Dimethylbenzidine	-	
5-Nitro-o-toluidine	-	4,4'-Methylenedi-o-toluidine	-	
4-Chloroaniline	-	6-Methoxy-m-toluidine	-	
Azo-dyestuffs, Part 1b Investigation of carcinogens classified in Categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to COE Resolution ResAP(2008)1 Methods acc. to § 64 LFGB 82.02-2,3,4,9 Detection limit: 1 ppm				
4,4'-Oxydianiline	-	2,4,5-Trimethylaniline	-	yes
4,4'-Thiodianiline	-	Para-phenylenediamine	-	
o-Toluidine	-	2,4-Xylidine	-	
Dyestuffs, Part 2 acc. to COE Resolution ResAP(2008)1 Methods: TLC-, HPLC-, GC/MS-analysis acc. to DIN 54231 Detection limit: 5 mg/L				not detectable
Acid Green 16	-	Disperse Blue 1	-	yes
Acid Red 26	-	Disperse Blue 106	-	
Acid Violet 17	-	Disperse Blue 124	-	
Acid Violet 49	-	Disperse Blue 3	-	
Acid Yellow 36	-	Disperse Blue 35	-	
Basic Blue 7	-	Disperse Orange 3	-	
Basic Green 1	-	Disperse Orange 37	-	
Basic Red 1	-	Disperse Red 1	-	
Basic Red 9	-	Disperse Red 17	-	
Basic Violet 1	-	Disperse Yellow 3	-	
Basic Violet 10	-	Disperse Yellow 9	-	
Basic Violet 3	-	Pigment Orange 5	-	
		Pigment Red 53	-	
		Pigment Violet 3	-	



we assist, advise and test

CTL [®] -No	377446/3
----------------------	-----------------

[Material] sample of a pigment
[Color] Ash pink

			passed			
Heavy metals, Part 3 acc. to COE Resolution ResAP(2008)1 Method: Prior, G. (2014). Tattoo Inks: Analysis, Pigments, Legislation. Berlin: epubli. CTL Method 2, p. 83.			yes			
	Limit	Amount				
Arsenic (As)	≤ 2 ppm	< 2 ppm				
Barium (Ba)	≤ 50 ppm	< 50 ppm				
Cadmium (Cd)	≤ 0.2 ppm	< 0.2 ppm				
Cobalt (Co)	≤ 25 ppm	< 25 ppm				
Chromium (Cr), VI	≤ 0.2 ppm	< 0.2 ppm				
Copper (Cu), soluble	≤ 25 ppm	< 25 ppm				
Mercury (Hg)	≤ 0.2 ppm	< 0.2 ppm				
Nickel (Ni)	As low as technically achievable	< 0.5 ppm				
Lead (Pb)	≤ 2 ppm	< 2 ppm				
Selenium (Se)	≤ 2 ppm	< 2 ppm				
Antimony (Sb)	≤ 2 ppm	< 2 ppm				
Tin (Sn)	≤ 50 ppm	< 50 ppm				
Zinc (Zn)	≤ 50 ppm	< 50 ppm				
PAH and BaP, Part 4 Investigation of 16 compounds of Polycyclic hydrocarbons incl. Benzo-a-pyrene acc. to COE Resolution ResAP(2008)1 Methods acc. to EPA, ZEK 2008-01 Detection limit: PAH 0.05 ppm as total, BaP 0.5 ppb Limit: PAH ≤ 0.5 ppm as total, BaP ≤ 5 ppb			yes			
Naphthalene	-	Fluoranthene		-	Dibenzo(a,h)anthracene	-
Acenaphthylene	-	Pyrene		-	Indo (1,2,3-cd)pyrene	-
Acenaphthene	-	Benz(a)anthracene		-	Benzo(g,h,i)perylene	-
Fluorene	-	Chrysene		-	Benzo-a-pyrene (BaP)	-
Phenanthrene	-	Benzo(b)fluoranthene		-		
Anthracene	-	Benzo(k)fluoranthene		-	Total	0 ppm
Sterility (microbiological test), Part 5* Investigation of pseudomonads (King A + B) acc. to COE Resolution ResAP(2008)1 Methods: Oxidase test Detection limit: 1.0 x 10 ¹ CFU/g			no tests	----		
Result: passed						

additional information:
Result of Heavy metal aluminium, perspiration solution: 18.6 ppm



we assist, advise and test

CTL [®] -No	377446/4
----------------------	----------

[Material] sample of a pigment
[Color] Apple blossoms

				passed
Azo-dyestuffs, Part 1a Investigation of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to COE Resolution ResAP(2008)1 Methods acc. to § 64 LFGB 82.02-2,3,4,9 Detection limit: 1 ppm; limit: as low as technically avoidable				not detectable
Biphenyl-4-arylamine	-	4-Methoxy-m-phenylenediamine	-	yes
Benzidine	-	4,4'-Methylenedianiline	-	
4-Chloro-o-toluidine	-	3,3'-Dichlorobenzidine	-	
2-Naphthylamine	-	3,3'-Dimethoxybenzidine	-	
o-Aminoazotoluene	-	3,3'-Dimethylbenzidine	-	
5-Nitro-o-toluidine	-	4,4'-Methylenedi-o-toluidine	-	
4-Chloroaniline	-	6-Methoxy-m-toluidine	-	
Azo-dyestuffs, Part 1b Investigation of carcinogens classified in Categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to COE Resolution ResAP(2008)1 Methods acc. to § 64 LFGB 82.02-2,3,4,9 Detection limit: 1 ppm				
4,4'-Oxydianiline	-	2,4,5-Trimethylaniline	-	yes
4,4'-Thiodianiline	-	Para-phenylenediamine	-	
o-Toluidine	-	2,4-Xylidine	-	
Dyestuffs, Part 2 acc. to COE Resolution ResAP(2008)1 Methods: TLC-, HPLC-, GC/MS-analysis acc. to DIN 54231 Detection limit: 5 mg/L				not detectable
Acid Green 16	-	Disperse Blue 1	-	yes
Acid Red 26	-	Disperse Blue 106	-	
Acid Violet 17	-	Disperse Blue 124	-	
Acid Violet 49	-	Disperse Blue 3	-	
Acid Yellow 36	-	Disperse Blue 35	-	
Basic Blue 7	-	Disperse Orange 3	-	
Basic Green 1	-	Disperse Orange 37	-	
Basic Red 1	-	Disperse Red 1	-	
Basic Red 9	-	Disperse Red 17	-	
Basic Violet 1	-	Disperse Yellow 3	-	
Basic Violet 10	-	Disperse Yellow 9	-	
Basic Violet 3	-	Pigment Orange 5	-	
		Pigment Red 53	-	
		Pigment Violet 3	-	



we assist, advise and test

CTL [®] -No	377446/4
----------------------	-----------------

[Material] sample of a pigment
[Color] Apple blossoms

			passed			
Heavy metals, Part 3 acc. to COE Resolution ResAP(2008)1 Method: Prior, G. (2014). Tattoo Inks: Analysis, Pigments, Legislation. Berlin: epubli. CTL Method 2, p. 83.			yes			
	Limit	Amount				
Arsenic (As)	≤ 2 ppm	< 2 ppm				
Barium (Ba)	≤ 50 ppm	< 50 ppm				
Cadmium (Cd)	≤ 0.2 ppm	< 0.2 ppm				
Cobalt (Co)	≤ 25 ppm	< 25 ppm				
Chromium (Cr), VI	≤ 0.2 ppm	< 0.2 ppm				
Copper (Cu), soluble	≤ 25 ppm	< 25 ppm				
Mercury (Hg)	≤ 0.2 ppm	< 0.2 ppm				
Nickel (Ni)	As low as technically achievable	< 0.5 ppm				
Lead (Pb)	≤ 2 ppm	< 2 ppm				
Selenium (Se)	≤ 2 ppm	< 2 ppm				
Antimony (Sb)	≤ 2 ppm	< 2 ppm				
Tin (Sn)	≤ 50 ppm	< 50 ppm				
Zinc (Zn)	≤ 50 ppm	< 50 ppm				
PAH and BaP, Part 4 Investigation of 16 compounds of Polycyclic hydrocarbons incl. Benzo-a-pyrene acc. to COE Resolution ResAP(2008)1 Methods acc. to EPA, ZEK 2008-01 Detection limit: PAH 0.05 ppm as total, BaP 0.5 ppb Limit: PAH ≤ 0.5 ppm as total, BaP ≤ 5 ppb			yes			
Naphthalene	-	Fluoranthene		-	Dibenzo(a,h)anthracene	-
Acenaphthylene	-	Pyrene		-	Indo (1,2,3-cd)pyrene	-
Acenaphthene	-	Benz(a)anthracene		-	Benzo(g,h,i)perylene	-
Fluorene	-	Chrysene		-	Benzo-a-pyrene (BaP)	-
Phenanthrene	-	Benzo(b)fluoranthene		-		
Anthracene	-	Benzo(k)fluoranthene		-	Total	0 ppm
Sterility (microbiological test), Part 5* Investigation of pseudomonads (King A + B) acc. to COE Resolution ResAP(2008)1 Methods: Oxidase test Detection limit: 1.0 x 10 ¹ CFU/g			no tests	----		
Result: passed						

additional information:

Result of Heavy metal aluminium, perspiration solution: < 1 ppm



we assist, advise and test

CTL [®] -No	377446/5
----------------------	-----------------

[Material] sample of a pigment
[Color] Pink Marble

				passed
Azo-dyestuffs, Part 1a Investigation of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to COE Resolution ResAP(2008)1 Methods acc. to § 64 LFGB 82.02-2,3,4,9 Detection limit: 1 ppm; limit: as low as technically avoidable				not detectable
Biphenyl-4-arylamine	-	4-Methoxy-m-phenylenediamine	-	yes
Benzidine	-	4,4'-Methylenedianiline	-	
4-Chloro-o-toluidine	-	3,3'-Dichlorobenzidine	-	
2-Naphthylamine	-	3,3'-Dimethoxybenzidine	-	
o-Aminoazotoluene	-	3,3'-Dimethylbenzidine	-	
5-Nitro-o-toluidine	-	4,4'-Methylenedi-o-toluidine	-	
4-Chloroaniline	-	6-Methoxy-m-toluidine	-	
Azo-dyestuffs, Part 1b Investigation of carcinogens classified in Categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to COE Resolution ResAP(2008)1 Methods acc. to § 64 LFGB 82.02-2,3,4,9 Detection limit: 1 ppm				
4,4'-Oxydianiline	-	2,4,5-Trimethylaniline	-	yes
4,4'-Thiodianiline	-	Para-phenylenediamine	-	
o-Toluidine	-	2,4-Xylidine	-	
Dyestuffs, Part 2 acc. to COE Resolution ResAP(2008)1 Methods: TLC-, HPLC-, GC/MS-analysis acc. to DIN 54231 Detection limit: 5 mg/L				not detectable
Acid Green 16	-	Disperse Blue 1	-	yes
Acid Red 26	-	Disperse Blue 106	-	
Acid Violet 17	-	Disperse Blue 124	-	
Acid Violet 49	-	Disperse Blue 3	-	
Acid Yellow 36	-	Disperse Blue 35	-	
Basic Blue 7	-	Disperse Orange 3	-	
Basic Green 1	-	Disperse Orange 37	-	
Basic Red 1	-	Disperse Red 1	-	
Basic Red 9	-	Disperse Red 17	-	
Basic Violet 1	-	Disperse Yellow 3	-	
Basic Violet 10	-	Disperse Yellow 9	-	
Basic Violet 3	-	Pigment Orange 5	-	
		Pigment Red 53	-	
		Pigment Violet 3	-	



we assist, advise and test

CTL [®] -No	377446/5
----------------------	-----------------

[Material] sample of a pigment
[Color] Pink Marble

			passed			
Heavy metals, Part 3 acc. to COE Resolution ResAP(2008)1 Method: Prior, G. (2014). Tattoo Inks: Analysis, Pigments, Legislation. Berlin: epubli. CTL Method 2, p. 83.			yes			
	Limit	Amount				
Arsenic (As)	≤ 2 ppm	< 2 ppm				
Barium (Ba)	≤ 50 ppm	< 50 ppm				
Cadmium (Cd)	≤ 0.2 ppm	< 0.2 ppm				
Cobalt (Co)	≤ 25 ppm	< 25 ppm				
Chromium (Cr), VI	≤ 0.2 ppm	< 0.2 ppm				
Copper (Cu), soluble	≤ 25 ppm	< 25 ppm				
Mercury (Hg)	≤ 0.2 ppm	< 0.2 ppm				
Nickel (Ni)	As low as technically achievable	< 0.5 ppm				
Lead (Pb)	≤ 2 ppm	< 2 ppm				
Selenium (Se)	≤ 2 ppm	< 2 ppm				
Antimony (Sb)	≤ 2 ppm	< 2 ppm				
Tin (Sn)	≤ 50 ppm	< 50 ppm				
Zinc (Zn)	≤ 50 ppm	< 50 ppm				
PAH and BaP, Part 4 Investigation of 16 compounds of Polycyclic hydrocarbons incl. Benzo-a-pyrene acc. to COE Resolution ResAP(2008)1 Methods acc. to EPA, ZEK 2008-01 Detection limit: PAH 0.05 ppm as total, BaP 0.5 ppb Limit: PAH ≤ 0.5 ppm as total, BaP ≤ 5 ppb			yes			
Naphthalene	-	Fluoranthene		-	Dibenzo(a,h)anthracene	-
Acenaphthylene	-	Pyrene		-	Indo (1,2,3-cd)pyrene	-
Acenaphthene	-	Benz(a)anthracene		-	Benzo(g,h,i)perylene	-
Fluorene	-	Chrysene		-	Benzo-a-pyrene (BaP)	-
Phenanthrene	-	Benzo(b)fluoranthene		-		
Anthracene	-	Benzo(k)fluoranthene		-	Total	0 ppm
Sterility (microbiological test), Part 5* Investigation of pseudomonads (King A + B) acc. to COE Resolution ResAP(2008)1 Methods: Oxidase test Detection limit: 1.0 x 10 ¹ CFU/g			no tests	----		
Result: passed						

additional information:
Result of Heavy metal aluminium, perspiration solution: < 1 ppm



we assist, advise and test

CTL [®] -No	377446/1-5
----------------------	-------------------

[Material] samples of pigments

[Color] -----

Yours sincerely

CTL[®] GmbH Bielefeld

i.A. Marion Heyde
Sachbearbeiterin/customer consultant

i.V. Helmut Meyer
Laborleitung/Lab Manager